

PACKING GUIDE

1. GENERAL

The Düring GmbH packaging manual is a reference work for everyone who comes into contact with packaging in goods traffic.

2. OBJECTIVE OF THE MANUAL

This manual is intended as a guide and aid for all suppliers of Düring welding technology for the use of optimal containers and packaging materials. Adequate protection of the components should be achieved through stress-proof packaging that protects the components safely and optimally. The supplier is responsible for compliance and implementation of the requirements.

3. SCOPE

The packaging manual is an addition to the general purchasing conditions and the individual contracts with suppliers.

4. PACKING MATERIALS

A surface protection net must be used to protect surfaces, contact surfaces and fits.

4.1 SURFACE PROTECTION NET



Item numbers at Düring:

DS012644 20-40mm

DS012645 50-100mm

DS069470 100-180mm

DS069469 150-230mm

4.2 SHAFT CAP

Item number at Düring:



DS069015 for cone Ø12mm

DS069016 for cone Ø15mm

4.3 ELECTRODE ARM

With electrode arms, make sure that


- the contact surfaces are covered with a protective net
- Fits are protected with a protective net
- the electrode arms do not protrude outside the load carrier
- Components are not stacked and a protective film is used as an intermediate layer

RIGHT



Components properly protected

WRONG



Components not properly protected



Protective net used, load carriers sufficiently dimensioned



Protective net not used, load carriers not sufficiently dimensioned


4.4 ELECTRODE SHAFTS

When using electrode shafts, make sure that

- Fits are protected with a protective net
- the electrode shafts do not protrude outside the load carrier
- Components are not stacked and a protective film is used as an intermediate layer

- the cone of the fit is provided with a protective cap.

RIGHT



Components properly protected

WRONG



NOT CORRECT

5. CONTACT

Christian Wenger

Industrial engineer

+49 (0) 8231 / 9606-892

christian.wenger@duering-gmbh.de